

PRODUCT
CATALOGUE



THE ULTIMATE
EXPRESSION
OF OPENNESS



LIVA[®]
RAILING



LIVA has been An Innovative And Professional Company Engaged In Research, Manufacture And Marketing Of Fittings For Railing Systems, Architectural Railing Hardware Accessories.

LIVA Provides Railing Fittings of high quality And Provides Consulting Services To TheArchitectural Industries. Our Goal Is To Increase The Value Of BuildingsAnd To Enhance The Living And WorkingEnvironment Of People Worldwide. We AchieveThis Together With Our Dealers, Distributer,Channel Partners By Providing Innovative AndSustainable Architectural Solutions For TheBuilding Envelope.

Experience unparalleled speed with us. Swiftly delivering top-notch aluminum railingsfor your projects, ensuring efficiency andreliability every time.





FEATURES



**100% Recyclable
Material**



Easy Cleaning



Maintenance Free



Weather Proof



Easy Installation



**Robust for
higher safety**



Long Life



Multi Colour Options



**10 Yr to 25 Yr
Finish Warranty**

TRUSTED TRANSPARENCY






STEP BRACKET & COVER

LRBC - 01

Recommended Railing Length Chart				
	Balcony Length			
	10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 Inch	✓✓	✓✓	✓
	30 Inch	✓✓	✓	✓
	36 Inch	✓	✓	
	42 Inch	✓		
✓ : Enhanced Strength with Handrail				
✓ : Independent Strength Without Handrail				
▶ Bracket Will Be Fitted At Every 2 Feet				

ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6
Length : Step Bracket (65mm)
 Step Cover (13 Feet / 16 Feet)
Weight : Step Bracket (Approx. 0.520 kg / Nos.)
 Step Cover (1 Feet / 1 Side)
 (Approx 0.200 + 10% Variation)
Finish : Natural, Anodized, Powder Coating
 Wood Coating



END CAP

SLOTTED END CAP




BRACKET WITH COVER SYSTEM



MODULAR STEP BRACKET & COVER

LRBC - 02



Recommended Railing Length Chart					
		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 Inch	✓✓	✓✓	✓	✓
	30 Inch	✓✓	✓✓	✓	
	36 Inch	✓✓	✓	✓	
	42 Inch	✓			
✓ : Enhanced Strength with Handrail ✓ : Independent Strength Without Handrail					
▶ Bracket Will Be Fitted At Every 2 Feet					

ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6
Length : Modular Step Bracket (65mm)
 Modular Step Cover (13 Feet / 16 Feet)
Weight : Modular Step Bracket (Approx. 0.380 kg / Nos.)
 Modular Step Cover (1 Feet / 1 Side)
 (Approx 0.180 + 10% Variation)
EPDM : Approx 0.016 kg (1 Feet / 1 Side)
Finish : Natural, Anodized, Powder Coating
 Wood Coating


SQUARE BRACKET & COVER

LRBC - 03

Recommended Railing Length Chart					
		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 Inch	✓✓	✓✓	✓	✓
	30 Inch	✓✓	✓	✓	
	36 Inch	✓	✓		
	42 Inch	✓			
✓ : Enhanced Strength with Handrail ✓ : Independent Strength Without Handrail					
▶ Bracket Will Be Fitted At Every 2 Feet					

ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6
Length : Square Bracket (65mm)
 Square Cover (13 Feet / 16 Feet)
Weight : Square Bracket (Approx. 0.280 kg / Nos.)
 Square Cover (1 Feet / 1 Side)
 (Approx 0.160 + 10% Variation)
EPDM : Approx 0.016 kg (1 Feet / 1 Side)
Finish : Natural, Anodized, Powder Coating
 Wood Coating



BRACKET WITH COVER SYSTEM

LIVA
RAILING




HEAVY ROUND BRACKET & COVER

LRBC - 04

Recommended Railing Length Chart				
	Balcony Length			
	10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 Inch	✓✓	✓✓	✓
	30 Inch	✓✓	✓✓	✓
	36 Inch	✓✓	✓	✓
	42 Inch	✓	✓	
✓ : Enhanced Strength with Handrail				
✓ : Independent Strength Without Handrail				
▶ Bracket Will Be Fitted At Every 2 Feet				

ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6
Length : Heavy Round Bracket (65mm)
 Heavy Round Cover (13 Feet / 16 Feet)
Weight : Heavy Round Bracket (Approx. 0.520 kg / Nos.)
 Heavy Round Cover (1 Feet / 1 Side)
 (Approx 0.220 + 10% Variation)
EPDM : Approx 0.016 kg (1 Feet / 1 Side)
Finish : Natural, Anodized, Powder Coating
 Wood Coating



END CAP

SLOTTED END CAP




BRACKET WITH COVER SYSTEM



HEAVY SQUARE BRACKET & COVER

LRBC - 05



		Recommended Railing Length Chart			
		Balcony Length			
Glass Height		10 Feet	20 Feet	30 Feet	Unlimited
	24 Inch	✓✓	✓✓	✓	✓
	30 Inch	✓✓	✓✓	✓	✓
	36 Inch	✓✓	✓	✓	
	42 Inch	✓	✓		

✓ : Enhanced Strength with Handrail
 ✓ : Independent Strength Without Handrail
 ► Bracket Will Be Fitted At Every 2 Feet

ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6
Length : Heavy Square Bracket (65mm)
 Heavy Square Cover (13 Feet / 16 Feet)
Weight : Heavy Square Bracket (Approx. 0.520 kg / Nos.)
 Heavy Square Cover (1 Feet / 1 Side)
 (Approx 0.220 + 10% Variation)
EPDM : Approx 0.016 kg (1 Feet / 1 Side)
Finish : Natural, Anodized, Powder Coating
 Wood Coating

HEAVY BRACKET & COVER 140 MM


LRBC - 06

		Recommended Railing Length Chart			
		Balcony Length			
Glass Height		10 Feet	20 Feet	30 Feet	Unlimited
	24 Inch	✓✓	✓✓	✓	✓
	30 Inch	✓✓	✓✓	✓	✓
	36 Inch	✓✓	✓✓	✓	✓
	42 Inch	✓✓	✓	✓	✓

✓ : Enhanced Strength with Handrail
 ✓ : Independent Strength Without Handrail
 ► Bracket Will Be Fitted At Every 2 Feet

ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6
Length : Heavy 140mm Bracket (65mm)
 Heavy 140mm Cover (13 Feet / 16 Feet)
Weight : Heavy 140mm Bracket (Approx. 0.700 kg / Nos.)
 Heavy 140mm Cover (1 Feet / 1 Side)
 (Approx 0.360 + 10% Variation)
EPDM : Approx 0.016 kg (1 Feet / 1 Side)
Finish : Natural, Anodized, Powder Coating
 Wood Coating







ANONYMOUS (1) BRACKET & COVER

LRBC - 07

Recommended Railing Length Chart					
	Balcony Length				
	10 Feet	20 Feet	30 Feet	Unlimited	
Glass Height	24 Inch	✓✓	✓✓	✓	✓
	30 Inch	✓✓	✓	✓	
	36 Inch	✓	✓		
	42 Inch	✓			
✓ : Enhanced Strength with Handrail					
✓ : Independent Strength Without Handrail					
▶ Bracket Will Be Fitted At Every 2 Feet					

ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6
Length : Anonymous (1) Bracket (65mm)
 Anonymous (1) Cover (13 Feet / 16 Feet)
Weight : Anonymous (1) Bracket (Approx. 0.280 kg / Nos.)
 Anonymous (1) Cover (1 Feet / 1 Side)
 (Approx 0.180 + 10% Variation)
EPDM : Approx 0.016 kg (1 Feet / 1 Side)
Finish : Natural, Anodized, Powder Coating
 Wood Coating



BRACKET WITH COVER SYSTEM



ANONYMOUS (2) BRACKET & COVER

LRBC - 08



Recommended Railing Length Chart					
		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 Inch	✓✓	✓✓	✓	✓
	30 Inch	✓✓	✓	✓	
	36 Inch	✓	✓		
	42 Inch	✓			
✓ : Enhanced Strength with Handrail ✓ : Independent Strength Without Handrail ▶ Bracket Will Be Fitted At Every 2 Feet					

ESSENTIAL DETAILS

- Material** : Aluminium Alloy 6063-T6
- Length** : Anonymous (2) Bracket (65mm)
Anonymous (2) Cover (13 Feet / 16 Feet)
- Weight** : Anonymous (2) Bracket (Approx. 0.520 kg / Nos.)
Anonymous (2) Cover (1 Feet / 1 Side)
(Approx 0.180 + 10% Variation)
- Finish** : Natural, Anodized, Powder Coating
Wood Coating



CONTINUOUS PROFILE SYSTEM




40X30 CONTINUOUS CHANNEL

LRCP - 01

Recommended Railing Length Chart				
	Balcony Length			
	10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 Inch	✓	✓	✓
	30 Inch	✓	✓	
	36 Inch	✓		
	42 Inch			
✓ : Enhanced Strength with Handrail				
✓ : Independent Strength Without Handrail				
▶ Anchor & Wedge Will Be Fitted At Every 1 Feet				

ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6
Length : 13 Feet / 16 Feet
Weight : Approx 0.420 + 10% Variation
EPDM : Approx 0.048 kg/Feet
Finish : Natural, Anodized, Powder Coating
 Wood Coating



END CAP

SLOTTED END CAP



CONTINUOUS PROFILE SYSTEM



58X32 CONTINUOUS CHANNEL

LRCP - 02



Recommended Railing Length Chart				
	Balcony Length			
	10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 Inch	✓	✓	✓
	30 Inch	✓	✓	
	36 Inch	✓		
	42 Inch			
✓ : Enhanced Strength with Handrail				
✓ : Independent Strength Without Handrail				
▶ Anchor & Wedge Will Be Fitted At Every 1 Feet				

ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6
Length : 13 Feet / 16 Feet
Weight : Approx 0.550 + 10% Variation
EPDM : Approx 0.90 kg/Feet
Finish : Natural, Anodized, Powder Coating
 Wood Coating


80X37 CONTINUOUS CHANNEL

LRCP - 03

Recommended Railing Length Chart				
	Balcony Length			
	10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 Inch	✓✓	✓✓	✓
	30 Inch	✓✓	✓	✓
	36 Inch	✓	✓	
	42 Inch	✓		
✓ : Enhanced Strength with Handrail				
✓ : Independent Strength Without Handrail				
▶ Anchor & Wedge Will Be Fitted At Every 1 Feet				

ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6
Length : 13 Feet / 16 Feet
Weight : Approx 0.780 + 10% Variation
EPDM : Approx 0.110 kg/Feet
Finish : Natural, Anodized, Powder Coating
 Wood Coating






100X37 CONTINUOUS CHANNEL

LRCP - 04

Recommended Railing Length Chart					
		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 Inch	✓✓	✓✓	✓	✓
	30 Inch	✓✓	✓✓	✓	
	36 Inch	✓✓	✓		
	42 Inch	✓			
✓ : Enhanced Strength with Handrail					
✓ : Independent Strength Without Handrail					
▶ Anchor & Wedge Will Be Fitted At Every 1 Feet					

ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6
Length : 13 Feet / 16 Feet
Weight : Approx 0.980 + 10% Variation
EPDM : Approx 0.110 kg/Feet
Finish : Natural, Anodized, Powder Coating
 Wood Coating



END CAP

SLOTTED END CAP




CONTINUOUS PROFILE SYSTEM



115X41 CONTINUOUS CHANNEL

LRCP - 05



Recommended Railing Length Chart				
	Balcony Length			
	10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 Inch	✓✓	✓✓	✓
	30 Inch	✓✓	✓✓	✓
	36 Inch	✓✓	✓	
	42 Inch	✓		

✓ : Enhanced Strength with Handrail
 ✓✓ : Independent Strength Without Handrail
 ► Anchor & Wedge Will Be Fitted At Every 1 Feet

ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6
Length : 13 Feet / 16 Feet
Weight : Approx 1.450 + 10% Variation
EPDM : Approx 0.150 kg/Feet
Finish : Natural, Anodized, Powder Coating
 Wood Coating

117X45 CONTINUOUS CHANNEL


LRCP - 06

Recommended Railing Length Chart				
	Balcony Length			
	10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 Inch	✓✓	✓✓	✓
	30 Inch	✓✓	✓✓	✓
	36 Inch	✓✓	✓	
	42 Inch	✓		

✓ : Enhanced Strength with Handrail
 ✓✓ : Independent Strength Without Handrail
 ► Anchor & Wedge Will Be Fitted At Every 1 Feet

ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6
Length : 13 Feet / 16 Feet
Weight : Approx 1.350 + 10% Variation
EPDM : Approx 0.120 kg/Feet
Finish : Natural, Anodized, Powder Coating
 Wood Coating






COMMERCIAL FERI

LRCP - 07

Recommended Railing Length Chart				
	Balcony Length			
	10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 Inch	✓	✓	✓
	30 Inch	✓	✓	
	36 Inch	✓		
	42 Inch			
✓ : Enhanced Strength with Handrail				
✓ : Independent Strength Without Handrail				
▶ Anchor & Wedge Will Be Fitted At Every 1 Feet				

ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6
Length : 13 Feet / 16 Feet
Weight : Approx 0.500 + 10% Variation
Finish : Natural, Anodized, Powder Coating
 Wood Coating




CONTINUOUS PROFILE SYSTEM



MODULAR FERIL

LRCP - 08



Recommended Railing Length Chart				
	Balcony Length			
	10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 Inch	✓✓	✓✓	✓
	30 Inch	✓✓	✓	✓
	36 Inch	✓	✓	
	42 Inch			
✓ : Enhanced Strength with Handrail				
✓✓ : Independent Strength Without Handrail				
▶ Anchor & Wedge Will Be Fitted At Every 1 Feet				

ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6
Length : 13 Feet / 16 Feet
Weight : Approx 0.620 + 10% Variation
EPDM : Approx 0.090 kg/Feet
Finish : Natural, Anodized, Powder Coating
 Wood Coating

TRIANGLE FERIL

LRCP - 09

Recommended Railing Length Chart				
	Balcony Length			
	10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 Inch	✓✓	✓✓	✓
	30 Inch	✓✓	✓	✓
	36 Inch	✓	✓	
	42 Inch			
✓ : Enhanced Strength with Handrail				
✓✓ : Independent Strength Without Handrail				
▶ Anchor & Wedge Will Be Fitted At Every 1 Feet				

ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6
Length : 13 Feet / 16 Feet
Weight : Approx 0.620 + 10% Variation
EPDM : Approx 0.90 kg/Feet
Finish : Natural, Anodized, Powder Coating
 Wood Coating






REGULAR FERI


LRCP - 10

Recommended Railing Length Chart				
	Balcony Length			
	10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 Inch	✓✓	✓✓	✓
	30 Inch	✓✓	✓	✓
	36 Inch	✓	✓	
	42 Inch	✓		
✓ : Enhanced Strength with Handrail				
✓ : Independent Strength Without Handrail				
▶ Anchor & Wedge Will Be Fitted At Every 1 Feet				



ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6
Length : 13 Feet / 16 Feet
Weight : Approx 0.740 + 10% Variation
Finish : Natural, Anodized, Powder Coating
 Wood Coating




CONTINUOUS PROFILE SYSTEM



HEAVY MODULAR FERIL

LRCP - 11



Recommended Railing Length Chart				
	Balcony Length			
	10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 Inch	✓✓	✓✓	✓
	30 Inch	✓✓	✓✓	✓
	36 Inch	✓✓	✓	✓
	42 Inch	✓		

✓ : Enhanced Strength with Handrail
 ✓✓ : Independent Strength Without Handrail
 ▶ Anchor & Wedge Will Be Fitted At Every 1 Feet

ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6
Length : 13 Feet / 16 Feet
Weight : Approx 0.840 + 10% Variation
EPDM : Approx 0.080 kg/Feet
Finish : Natural, Anodized, Powder Coating
 Wood Coating

CLIP FERIL


LRCP - 12

Recommended Railing Length Chart				
	Balcony Length			
	10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 Inch	✓✓	✓✓	✓
	30 Inch	✓✓	✓✓	✓
	36 Inch	✓✓	✓	✓
	42 Inch	✓		

✓ : Enhanced Strength with Handrail
 ✓✓ : Independent Strength Without Handrail
 ▶ Anchor & Wedge Will Be Fitted At Every 1 Feet

ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6
Length : 13 Feet / 16 Feet
Weight : Approx 0.900 + 10% Variation
EPDM : Approx 0.078 kg/Feet
Finish : Natural, Anodized, Powder Coating
 Wood Coating






50X90 CONTINUOUS CHANNEL

LRCP - 13

Recommended Railing Length Chart					
		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 Inch	✓✓	✓✓	✓	✓
	30 Inch	✓✓	✓✓	✓	✓
	36 Inch	✓✓	✓		
	42 Inch	✓			
✓ : Enhanced Strength with Handrail					
✓ : Independent Strength Without Handrail					
▶ Anchor & Wedge Will Be Fitted At Every 1 Feet					

ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6
Length : 13 Feet / 16 Feet
Weight : Approx 0.920 + 10% Variation
EPDM : Approx 0.105 kg/Feet
Finish : Natural, Anodized, Powder Coating
 Wood Coating



END CAP

SLOTTED END CAP




CONTINUOUS PROFILE SYSTEM



50X90 LED CONTINUOUS CHANNEL

LRCP - 14



Recommended Railing Length Chart				
	Balcony Length			
	10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 Inch	✓✓	✓✓	✓
	30 Inch	✓✓	✓✓	✓
	36 Inch	✓✓	✓	
	42 Inch	✓		

✓ : Enhanced Strength with Handrail
 ✓✓ : Independent Strength Without Handrail
 ► Anchor & Wedge Will Be Fitted At Every 1 Feet

ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6
 Length : 13 Feet / 16 Feet
 Weight : Approx 0.920 + 10% Variation
 EPDM : Approx 0.105 kg/Feet
 Finish : Natural, Anodized, Powder Coating
 Wood Coating

55X100 CONTINUOUS CHANNEL


LRCP - 15

Recommended Railing Length Chart				
	Balcony Length			
	10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 Inch	✓✓	✓✓	✓
	30 Inch	✓✓	✓✓	✓
	36 Inch	✓✓	✓	
	42 Inch	✓		

✓ : Enhanced Strength with Handrail
 ✓✓ : Independent Strength Without Handrail
 ► Anchor & Wedge Will Be Fitted At Every 1 Feet

ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6
 Length : 13 Feet / 16 Feet
 Weight : Approx 1.100 + 10% Variation
 EPDM : Approx 0.105 kg/Feet
 Finish : Natural, Anodized, Powder Coating
 Wood Coating






SIDE MOUNTING CONTINUOUS

LRCP - 16

Recommended Railing Length Chart				
	Balcony Length			
	10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 Inch	✓✓	✓✓	✓
	30 Inch	✓✓	✓✓	✓
	36 Inch	✓✓	✓	
	42 Inch	✓		
✓ : Enhanced Strength with Handrail				
✓ : Independent Strength Without Handrail				
▶ Anchor & Wedge Will Be Fitted At Every 1 Feet				



ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6

Length : 13 Feet / 16 Feet

Weight : Approx 1.800 + 10% Variation

EPDM : Approx 0.105 kg/Feet

Finish : Natural, Anodized, Powder Coating
Wood Coating

CONTINUOUS PROFILE SYSTEM



55X120 CONTINUOUS CHANNEL

LRCP - 17



Recommended Railing Length Chart				
	Balcony Length			
	10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 Inch	✓✓	✓✓	✓
	30 Inch	✓✓	✓✓	✓
	36 Inch	✓✓	✓✓	✓
	42 Inch	✓✓	✓	✓

✓ : Enhanced Strength with Handrail
 ✓✓ : Independent Strength Without Handrail
 ► Anchor & Wedge Will Be Fitted At Every 1 Feet

ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6

Length : 13 Feet / 16 Feet

Weight : Approx 1.550 + 10% Variation

EPDM : Approx 0.150 kg/Feet

Finish : Natural, Anodized, Powder Coating
Wood Coating

120X60 CONTINUOUS CHANNEL

LRCP - 18

Recommended Railing Length Chart				
	Balcony Length			
	10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 Inch	✓✓	✓✓	✓
	30 Inch	✓✓	✓✓	✓
	36 Inch	✓✓	✓✓	✓
	42 Inch	✓✓	✓	✓

✓ : Enhanced Strength with Handrail
 ✓✓ : Independent Strength Without Handrail
 ► Anchor & Wedge Will Be Fitted At Every 1 Feet

ESSENTIAL DETAILS


Material : Aluminium Alloy 6063-T6

Length : 13 Feet / 16 Feet

Weight : Approx 1.400 + 10% Variation

EPDM : Approx 0.120 kg/Feet

Finish : Natural, Anodized, Powder Coating
Wood Coating






125X70 CONTINUOUS CHANNEL

LRCP - 19

Recommended Railing Length Chart					
		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 Inch	✓✓	✓✓	✓	✓
	30 Inch	✓✓	✓✓	✓	✓
	36 Inch	✓✓	✓✓	✓	✓
	42 Inch	✓✓	✓	✓	✓
✓ : Enhanced Strength with Handrail					
✓✓ : Independent Strength Without Handrail					
▶ Anchor & Wedge Will Be Fitted At Every 1 Feet					

ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6
Length : 13 Feet / 16 Feet
Weight : Approx 1.550 + 10% Variation
EPDM : Approx 0.200 kg/Feet
Finish : Natural, Anodized, Powder Coating
 Wood Coating



END CAP

SLOTTED END CAP




BRACKET SYSTEM



L-BRACKET

LRB - 01



Recommended Railing Length Chart					
		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 Inch	✓✓	✓✓	✓	✓
	30 Inch	✓✓	✓	✓	✓
	36 Inch	✓	✓		
	42 Inch	✓			
✓ : Enhanced Strength with Handrail ✓ : Independent Strength Without Handrail					
▶ Bracket Will Be Fitted At Every 2 Feet					

ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6
 Length : Bracket (65mm)
 Weight : Approx 0.460 + 5% Variation
 Finish : Natural, Anodized, Powder Coating
 Wood Coating


T-BRACKET

LRB - 02 (A)

Recommended Railing Length Chart					
		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 Inch	✓✓	✓✓	✓	✓
	30 Inch	✓✓	✓	✓	✓
	36 Inch	✓	✓		
	42 Inch	✓			
✓ : Enhanced Strength with Handrail ✓ : Independent Strength Without Handrail					
▶ Bracket Will Be Fitted At Every 2 Feet					

ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6
 Length : Bracket (65mm)
 Weight : Approx 0.420 + 5% Variation
 Finish : Natural, Anodized, Powder Coating
 Wood Coating






T - BRACKET (LIGHT WEIGHT)

LRB - 02 (B)

Recommended Railing Length Chart				
	Balcony Length			
	10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 Inch	✓✓	✓✓	✓
	30 Inch	✓✓	✓	✓
	36 Inch	✓	✓	
	42 Inch	✓		
✓ : Enhanced Strength with Handrail				
✓ : Independent Strength Without Handrail				
▶ Bracket Will Be Fitted At Every 2 Feet				

ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6
Length : Bracket (65mm)
Weight : Approx 0.320 + 5% Variation
Finish : Natural, Anodized, Powder Coating
 Wood Coating




BRACKET SYSTEM



TOWER BRACKET

LRB -03



Recommended Railing Length Chart					
		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 Inch	✓✓	✓✓	✓	✓
	30 Inch	✓✓	✓	✓	✓
	36 Inch	✓	✓		
	42 Inch	✓			
✓ : Enhanced Strength with Handrail ✓ : Independent Strength Without Handrail ▶ Bracket Will Be Fitted At Every 2 Feet					

ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6
 Length : Bracket (50mm)
 Weight : Approx 0.320 + 5% Variation
 Finish : Natural, Anodized, Powder Coating
 Wood Coating


V-BRACKET (REGULAR)

LRB - 04(A)

Recommended Railing Length Chart					
		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 Inch	✓✓	✓✓	✓	✓
	30 Inch	✓✓	✓	✓	✓
	36 Inch	✓	✓		
	42 Inch	✓			
✓ : Enhanced Strength with Handrail ✓ : Independent Strength Without Handrail ▶ Bracket Will Be Fitted At Every 2 Feet					

ESSENTIAL DETAILS


Material : Aluminium Alloy 6063-T6
 Length : Bracket (50mm)
 Weight : Approx 0.420 + 5% Variation
 Finish : Natural, Anodized, Powder Coating
 Wood Coating





V-BRACKET (WEDGES)

LRB - 04 (B)



Recommended Railing Length Chart					
		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 Inch	✓✓	✓✓	✓	✓
	30 Inch	✓✓	✓	✓	✓
	36 Inch	✓	✓		
	42 Inch	✓			
✓ : Enhanced Strength with Handrail					
✓✓ : Independent Strength Without Handrail					
▶ Bracket Will Be Fitted At Every 2 Feet					

ESSENTIAL DETAILS


Material : Aluminium Alloy 6063-T6
Length : Bracket (50mm)
Weight : Approx 0.440 + 5% Variation
Finish : Natural, Anodized, Powder Coating
 Wood Coating

BRACKET SYSTEM



V - BRACKET 150 MM

LRB - 04 (C)



Recommended Railing Length Chart				
	Balcony Length			
	10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 Inch	✓✓	✓✓	✓
	30 Inch	✓✓	✓	✓
	36 Inch	✓	✓	
	42 Inch	✓		

✓ : Enhanced Strength with Handrail
 ✓ : Independent Strength Without Handrail
 ► Bracket Will Be Fitted At Every 2 Feet

ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6
 Length : Bracket (50mm)
 Weight : Approx 0.700 + 5% Variation
 Finish : Natural, Anodized, Powder Coating
 Wood Coating

RADIUS BRACKET


LRB - 05 (A)

Recommended Railing Length Chart				
	Balcony Length			
	10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 Inch	✓✓	✓✓	✓
	30 Inch	✓✓	✓	✓
	36 Inch	✓	✓	
	42 Inch	✓		

✓ : Enhanced Strength with Handrail
 ✓ : Independent Strength Without Handrail
 ► Bracket Will Be Fitted At Every 2 Feet

ESSENTIAL DETAILS


Material : Aluminium Alloy 6063-T6
 Length : Bracket (50mm)
 Weight : Approx 0.460 + 5% Variation
 Finish : Natural, Anodized, Powder Coating
 Wood Coating





RADIUS BRACKET 150MM

LRB - 05 (B)



Recommended Railing Length Chart				
	Balcony Length			
	10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 Inch	✓✓	✓✓	✓
	30 Inch	✓✓	✓	✓
	36 Inch	✓	✓	
	42 Inch	✓		
✓ : Enhanced Strength with Handrail				
✓✓ : Independent Strength Without Handrail				
▶ Bracket Will Be Fitted At Every 2 Feet				

ESSENTIAL DETAILS


Material : Aluminium Alloy 6063-T6
Length : Bracket (50mm)
Weight : Approx 0.780 + 5% Variation
Finish : Natural, Anodized, Powder Coating
 Wood Coating

BRACKET SYSTEM



PYRAMID BRACKET

LRB - 06




Recommended Railing Length Chart					
		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 Inch	✓✓	✓✓	✓	✓
	30 Inch	✓✓	✓	✓	✓
	36 Inch	✓	✓		
	42 Inch	✓			
✓ : Enhanced Strength with Handrail ✓ : Independent Strength Without Handrail ▶ Bracket Will Be Fitted At Every 2 Feet					

ESSENTIAL DETAILS

Material : Aluminium Alloy LM-2
Weight : Approx 0.570 + 5% Variation
Finish : Natural, Powder Coating
Wood Coating

DIAMOND BRACKET

LRB - 07



Recommended Railing Length Chart					
		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 Inch	✓✓	✓✓	✓	✓
	30 Inch	✓✓	✓	✓	✓
	36 Inch	✓	✓		
	42 Inch	✓			
✓ : Enhanced Strength with Handrail ✓ : Independent Strength Without Handrail ▶ Bracket Will Be Fitted At Every 2 Feet					

ESSENTIAL DETAILS

Material : Aluminium Alloy LM-2
Weight : Approx 0.620 + 5% Variation
Finish : Natural, Powder Coating
Wood Coating




Recommended Railing Length Chart					
		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 Inch	✓✓	✓✓	✓	✓
	30 Inch	✓✓	✓	✓	✓
	36 Inch	✓	✓		
	42 Inch	✓			
✓ : Enhanced Strength with Handrail					
✓✓ : Independent Strength Without Handrail					
▶ Bracket Will Be Fitted At Every 2 Feet					

ESSENTIAL DETAILS

Material : Aluminium Alloy LM-2
Weight : Approx 0.820 + 5% Variation
Finish : Natural, Powder Coating
 Wood Coating

D BRACKET

LRB - 08




BRACKET SYSTEM



TRIANGLE BRACKET

LRB - 09



Recommended Railing Length Chart					
		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 Inch	✓✓	✓✓	✓	✓
	30 Inch	✓✓	✓	✓	✓
	36 Inch	✓	✓		
	42 Inch	✓			
✓ : Enhanced Strength with Handrail ✓ : Independent Strength Without Handrail ▶ Bracket Will Be Fitted At Every 2 Feet					


ESSENTIAL DETAILS

Material : Aluminium Alloy LM-2
Weight : Approx 0.460 + 5% Variation
Finish : Natural, Powder Coating
Wood Coating

ALMOND BRACKET

LRB - 10

Recommended Railing Length Chart					
		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 Inch	✓✓	✓✓	✓	✓
	30 Inch	✓✓	✓	✓	✓
	36 Inch	✓	✓		
	42 Inch	✓			
✓ : Enhanced Strength with Handrail ✓ : Independent Strength Without Handrail ▶ Bracket Will Be Fitted At Every 2 Feet					



ESSENTIAL DETAILS

Material : Aluminium Alloy LM-2
Weight : Approx 0.420 + 5% Variation
Finish : Natural, Powder Coating
Wood Coating

50X36 SQUARE SPIGOT

LRS - 01




Recommended Railing Length Chart					
		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 Inch	✓✓	✓✓	✓	✓
	30 Inch	✓✓	✓	✓	✓
	36 Inch	✓	✓		
	42 Inch	✓			
✓ : Enhanced Strength with Handrail					
✓ : Independent Strength Without Handrail					
▶ Bracket Will Be Fitted At Every 3 Feet					

ESSENTIAL DETAILS

Material : Aluminium Alloy LM-2
Height : 10 Inch, 5 Inch
Weight : 5 Inch - 0.420 kg
 10 Inch - 0.840 kg
Finish : Natural, Powder Coating
 Wood Coating

SPIGOT SYSTEM



50MM ROUND SPIGOT

LRS - 02

Recommended Railing Length Chart					
		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 Inch	✓✓	✓✓	✓	✓
	30 Inch	✓✓	✓	✓	✓
	36 Inch	✓	✓		
	42 Inch	✓			
✓ : Enhanced Strength with Handrail					
✓ : Independent Strength Without Handrail					
▶ Bracket Will Be Fitted At Every 3 Feet					

ESSENTIAL DETAILS

Material : Aluminium Alloy LM-2

Height : 10 Inch, 5 Inch

Weight : 5 Inch - 0.520 kg

10 Inch - 1.000 kg

Finish : Natural, Powder Coating
Wood Coating

HEXAGON SPIGOT

LRS - 03



Recommended Railing Length Chart					
		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 Inch	✓✓	✓✓	✓	✓
	30 Inch	✓✓	✓	✓	✓
	36 Inch	✓	✓		
	42 Inch	✓			
✓ : Enhanced Strength with Handrail					
✓ : Independent Strength Without Handrail					
▶ Bracket Will Be Fitted At Every 3 Feet					

ESSENTIAL DETAILS

Material : Aluminium Alloy LM-2

Height : 10 Inch, 5 Inch

Weight : 5 Inch - 0.520 kg

10 Inch - 1.080 kg

Finish : Natural, Powder Coating
Wood Coating

50X36 CURVE SPIGOT

LRS - 04



Recommended Railing Length Chart		Balcony Length			
Glass Height		10 Feet	20 Feet	30 Feet	Unlimited
	24 Inch	✓✓	✓✓	✓	✓
	30 Inch	✓✓	✓	✓	✓
	36 Inch	✓	✓		
	42 Inch	✓			

✓ : Enhanced Strength with Handrail
 ✓ : Independent Strength Without Handrail
 ► Bracket Will Be Fitted At Every 3 Feet

ESSENTIAL DETAILS

Material : Aluminium Alloy LM-2

Height : 10 Inch, 5 Inch

Weight : 5 Inch - 0.420 kg

10 Inch - 0.860 kg

Finish : Natural, Powder Coating
 Wood Coating

38MM ROUND SPIGOT

LRS - 05



Recommended Railing Length Chart		Balcony Length			
Glass Height		10 Feet	20 Feet	30 Feet	Unlimited
	24 Inch	✓✓	✓✓	✓	✓
	30 Inch	✓✓	✓	✓	✓
	36 Inch	✓	✓		
	42 Inch	✓			

✓ : Enhanced Strength with Handrail
 ✓ : Independent Strength Without Handrail
 ► Bracket Will Be Fitted At Every 3 Feet

ESSENTIAL DETAILS

Material : Aluminium Alloy LM-2

Height : 10 Inch, 5 Inch

Weight : 5 Inch - 0.320 kg

10 Inch - 0.640 kg

Finish : Natural, Powder Coating
 Wood Coating

BRACKET SYSTEM



COFFINE

LRS - 06



Recommended Railing Length Chart					
		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 Inch	✓✓	✓✓	✓	✓
	30 Inch	✓✓	✓	✓	✓
	36 Inch	✓	✓		
	42 Inch	✓			
✓ : Enhanced Strength with Handrail					
✓ : Independent Strength Without Handrail					
▶ Bracket Will Be Fitted At Every 3 Feet					

ESSENTIAL DETAILS

Material : Aluminium Alloy LM-2

Height : 10 Inch, 5 Inch

Weight : 5 Inch - 0.400 kg

10 Inch - 0.940 kg

Finish : Natural, Powder Coating
Wood Coating

50X36 CROSS SPIGOT

LRS - 07



Recommended Railing Length Chart					
		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 Inch	✓✓	✓✓	✓	✓
	30 Inch	✓✓	✓	✓	✓
	36 Inch	✓	✓		
	42 Inch	✓			
✓ : Enhanced Strength with Handrail					
✓ : Independent Strength Without Handrail					
▶ Bracket Will Be Fitted At Every 3 Feet					

ESSENTIAL DETAILS

Material : Aluminium Alloy LM-2

Height : 10 Inch, 5 Inch


Weight : 5 Inch - 0.430 kg

10 Inch - 0.920 kg

Finish : Natural, Powder Coating
Wood Coating

F-BRACKET HEAVY TRIANGLE

LRHB - 01



Recommended Railing Length Chart					
		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 Inch	✓✓	✓✓	✓	✓
	30 Inch	✓✓	✓	✓	✓
	36 Inch	✓	✓		
	42 Inch	✓			
✓ : Enhanced Strength with Handrail					
✓ : Independent Strength Without Handrail					
▶ Bracket Will Be Fitted At Every 3 Feet					

ESSENTIAL DETAILS


Material : Aluminium Alloy LM-2

Height : 12 Inch

Weight : 0.880 kg

Finish : Natural, Powder Coating
Wood Coating

BRACKET SYSTEM




**F-BRACKET
40X30 RECTANGLE**
LRHB - 02

Recommended Railing Length Chart					
		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 Inch	✓✓	✓✓	✓	✓
	30 Inch	✓✓	✓	✓	✓
	36 Inch	✓	✓		
	42 Inch	✓			
✓ : Enhanced Strength with Handrail ✓ : Independent Strength Without Handrail ▶ Bracket Will Be Fitted At Every 3 Feet					

ESSENTIAL DETAILS

Material : Aluminium Alloy LM-2
Height : 12 Inch
Weight : 0.920 kg
Finish : Natural, Powder Coating
 Wood Coating



28MM ROUND SPIGOT
LRHB - 03

Recommended Railing Length Chart					
		Balcony Length			
		10 Feet	20 Feet	30 Feet	Unlimited
Glass Height	24 Inch	✓✓	✓✓	✓	✓
	30 Inch	✓✓	✓	✓	✓
	36 Inch	✓	✓		
	42 Inch	✓			
✓ : Enhanced Strength with Handrail ✓ : Independent Strength Without Handrail ▶ Bracket Will Be Fitted At Every 3 Feet					

ESSENTIAL DETAILS


Material : Aluminium Alloy LM-2
Height : 12 Inch
Weight : 0.640 kg
Finish : Natural, Powder Coating
 Wood Coating

38MM ROUND

LRH-01

ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6
 Length : 13 Feet / 16 Feet
 Weight : Approx 0.170 + 10% Variation
 EPDM : Approx 0.055 kg
 Finish : Natural, Anodized, Powder Coating
 Wood Coating



Wall Conceal



Jointer*



Fix Bend*



End Cap*

38MM ROUND PLAIN

LRHP-01

ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6
 Length : 13 Feet / 16 Feet
 Weight : Approx 0.140 + 10% Variation
 Finish : Natural, Anodized, Powder Coating
 Wood Coating



Plain Wall Conceal*



Plain Jointer*



Adjustable Bend*



Plain End Cap*

HANDRAIL & ACCESSORIES




50MM ROUND

LRH-02

ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6
Length : 13 Feet / 16 Feet
Weight : Approx 0.260 + 10% Variation
EPDM : Approx 0.080 kg
Finish : Natural, Anodized, Powder Coating
Wood Coating



Wall Conceal



Jointer*



Fix Bend*



End Cap*

50MM ROUND PLAIN

LRHP-02

ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6
Length : 13 Feet / 16 Feet
Weight : Approx 0.200 + 10% Variation
Finish : Natural, Anodized, Powder Coating
Wood Coating



Plain Wall Conceal*



Plain Jointer*



Adjustable Bend*



Plain End Cap*




65MM ROUND

LRH-03

ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6
 Length : 13 Feet / 16 Feet
 Weight : Approx 0.440 + 10% Variation
 EPDM : Approx 0.095 kg
 Finish : Natural, Anodized, Powder Coating
 Wood Coating



HANDRAIL & ACCESSORIES



25X25MM SQUARE

LRH-04



ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6
Length : 13 Feet / 16 Feet
Weight : Approx 0.150 + 10% Variation
EPDM : Approx 0.055 kg
Finish : Natural, Anodized, Powder Coating
Wood Coating



Wall Conceal




Plain Joiner*



Fix Bend*



Plain End Cap*



25X25 SQUARE PLAIN

LRHP-03

ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6
Length : 13 Feet / 16 Feet
Weight : Approx 0.110 + 10% Variation
Finish : Natural, Anodized, Powder Coating
Wood Coating



Plain Wall Conceal *



Plain Joiner*



Adjustable Bend*
Slot to Plain




Adjustable Bend*
Plain to Plain



Adjustable Bend*
Slot to Slot



Plain End Cap*




40X40MM SQUARE

LRH-05

ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6
 Length : 13 Feet / 16 Feet
 Weight : Approx 0.260 + 10% Variation
 EPDM : Approx 0.080 kg
 Finish : Natural, Anodized, Powder Coating
 Wood Coating



Wall Conceal



Jointer*



Fix Bend*



End Cap*

40X40 MM SQUARE PLAIN

LRHP-04

ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6
 Length : 13 Feet / 16 Feet
 Weight : Approx 0.200 + 10% Variation
 Finish : Natural, Anodized, Powder Coating
 Wood Coating



Plain Wall Conceal*



Plain Jointer*



Adjustable Bend*



Adjustable Bend*



Plain End Cap*

HANDRAIL & ACCESSORIES




50X50 MM SQUARE

LRH-06

ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6
Length : 13 Feet / 16 Feet
Weight : Approx 0.330 + 10% Variation
EPDM : Approx 0.095 kg
Finish : Natural, Anodized, Powder Coating
Wood Coating



Wall Conceal



Jointer*



Fix Bend*



End Cap*

50X50MM SQUARE PLAIN

LRHP-05

ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6
Length : 13 Feet / 16 Feet
Weight : Approx 0.240 + 10% Variation
Finish : Natural, Anodized, Powder Coating
Wood Coating



Plain Wall Conceal*



Plain Jointer*



Adjustable Bend*



Adjustable Bend*



Plain End Cap*

HANDRAIL & ACCESSORIES




2 SIDE LED

LRH-07

ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6
 Length : 13 Feet / 16 Feet
 Weight : Approx 0.320 + 10% Variation
 EPDM : Approx 0.080 kg
 Finish : Natural, Anodized, Powder Coating
 Wood Coating



Wall Conceal



Jointer*



Fix Bend*



End Cap*

70X30 (WITHOUT LED)

LRH-08

ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6
 Length : 13 Feet / 16 Feet
 Weight : Approx 0.320 + 10% Variation
 EPDM : Approx 0.080 kg
 Finish : Natural, Anodized, Powder Coating
 Wood Coating



Wall Conceal




Jointer*



Fix Bend*



End Cap*




HANDRAIL & ACCESSORIES



ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6
Length : 13 Feet / 16 Feet
Weight : Approx 0.220 + 10% Variation
Finish : Natural, Anodized, Powder Coating
Wood Coating



Wall Conceal

Jointer*

Fix Bend*

End Cap*

50X40

LRH-10



ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6
Length : 13 Feet / 16 Feet
Weight : Approx 0.240 + 10% Variation
EPDM : Approx 0.080 kg
Finish : Natural, Anodized, Powder Coating
Wood Coating



Wall Conceal




Jointer*



Fix Bend*



End Cap*



ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6

Length : 13 Feet / 16 Feet

Weight : Approx 0.420 + 10% Variation

EPDM : Approx 0.080 kg

Finish : Natural, Anodized, Powder Coating
Wood Coating



Wall Conceal




Jointer*



Fix Bend*



End Cap*



70X35 (WITHOUT LED)

LRH-12

ESSENTIAL DETAILS


Material : Aluminium Alloy 6063-T6

Length : 13 Feet / 16 Feet

Weight : Approx 0.400 + 10% Variation

EPDM : Approx 0.075 kg

Finish : Natural, Anodized, Powder Coating
Wood Coating



Wall Conceal



Jointer*



Fix Bend*



End Cap*

HANDRAIL & ACCESSORIES



1 SIDE LED

LRH-13



ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6
Length : 13 Feet / 16 Feet
Weight : Approx 0.360 + 10% Variation
EPDM : Approx 0.075 kg
Finish : Natural, Anodized, Powder Coating
Wood Coating



Wall Conceal




Joiner*



Fix Bend*



End Cap*




DIAMOND

LRH-14

ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6
 Length : 13 Feet / 16 Feet
 Weight : Approx 0.400 + 10% Variation
 EPDM : Approx 0.080 kg
 Finish : Natural, Anodized, Powder Coating
 Wood Coating



Wall Conceal



Jointer*



Fix Bend*



End Cap*

EYES

LRH-15



ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6
 Length : 13 Feet / 16 Feet
 Weight : Approx 0.320 + 10% Variation
 EPDM : Approx 0.080 kg
 Finish : Natural, Anodized, Powder Coating
 Wood Coating



Wall Conceal




Jointer*



Fix Bend*



End Cap*




HANDRAIL & ACCESSORIES



ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6
 Length : 13 Feet / 16 Feet
 Weight : Approx 0.350 + 10% Variation
 EPDM : Approx 0.075 kg
 Finish : Natural, Anodized, Powder Coating
 Wood Coating



Wall Conceal



Jointer*



Fix Bend*



End Cap*

INCLINE BOTTOM LED

LRH-17



ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6
 Length : 13 Feet / 16 Feet
 Weight : Approx 0.380 + 10% Variation
 EPDM : Approx 0.075 kg
 Finish : Natural, Anodized, Powder Coating
 Wood Coating



Wall Conceal




Jointer*



Fix Bend*




End Cap*



ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6
Length : 13 Feet / 16 Feet
Weight : Approx 0.100 + 10% Variation
Finish : Natural, Anodized, Powder Coating
Wood Coating




SMALL RIGHT ANGLE

LRH-19

ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6
Length : 13 Feet / 16 Feet
Weight : Approx 0.250 + 10% Variation
EPDM : Approx 0.055 kg
Finish : Natural, Anodized, Powder Coating
Wood Coating



HANDRAIL & ACCESSORIES



RIGHT ANGLE

LRH-20



ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6
Length : 13 Feet / 16 Feet
Weight : Approx 0.360 + 10% Variation
EPDM : Approx 0.095 kg
Finish : Natural, Anodized, Powder Coating
Wood Coating



Wall Conceal




Jointer*



Fix Bend*



End Cap*




TRIANGLE

LRH-21

ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6
Length : 13 Feet / 16 Feet
Weight : Approx 0.330 + 10% Variation
EPDM : Approx 0.080 kg
Finish : Natural, Anodized, Powder Coating
Wood Coating



Wall Conceal



Jointer*



Fix Bend*



End Cap*

CRYSTAL DIAMOND

LRH-22



ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6
 Length : 13 Feet / 16 Feet
 Weight : Approx 0.300 + 10% Variation
 EPDM : Approx 0.080 kg
 Finish : Natural, Anodized, Powder Coating
 Wood Coating



Wall Conceal




Jointer*



Fix Bend*



End Cap*



HANDRAIL & ACCESSORIES




FLOWER

LRH-23

ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6
Length : 13 Feet / 16 Feet
Weight : Approx 0.330 + 10% Variation
EPDM : Approx 0.080 kg
Finish : Natural, Anodized, Powder Coating
Wood Coating



Wall Conceal



Jointer*



Fix Bend*



End Cap*

CAPSULE

LRH-24

ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6
Length : 13 Feet / 16 Feet
Weight : Approx 0.360 + 10% Variation
EPDM : Approx 0.075 kg
Finish : Natural, Anodized, Powder Coating
Wood Coating



Wall Conceal




Jointer*



Fix Bend*



End Cap*




38X38 OCTAGON

LRH-25

ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6
 Length : 13 Feet / 16 Feet
 Weight : Approx 0.220 + 10% Variation
 EPDM : Approx 0.075 kg
 Finish : Natural, Anodized, Powder Coating
 Wood Coating



Wall Conceal



Jointer*



Fix Bend*



End Cap*

38X38 OCTAGON PLAIN

LRHP-06

ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6
 Length : 13 Feet / 16 Feet
 Weight : Approx 0.160 + 10% Variation
 Finish : Natural, Anodized, Powder Coating
 Wood Coating



Plain Wall Conceal



Plain Jointer*



Adjustable Bend*



Plain End Cap*

HANDRAIL & ACCESSORIES




45X45 OCTAGON

LRH-26

ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6
Length : 13 Feet / 16 Feet
Weight : Approx 0.280 + 10% Variation
EPDM : Approx 0.080 kg
Finish : Natural, Anodized, Powder Coating
Wood Coating



Wall Conceal



Jointer*



Fix Bend*



End Cap*

45X45 OCTAGON PLAIN

LRHP-07

ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6
Length : 13 Feet / 16 Feet
Weight : Approx 0.200 + 10% Variation
Finish : Natural, Anodized, Powder Coating
Wood Coating



Plain Wall Conceal



Plain Jointer*



Adjustable Bend*




Plain End Cap*

38X38 RADIUS

LRH-27

ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6
 Length : 13 Feet / 16 Feet
 Weight : Approx 0.220 + 10% Variation
 EPDM : Approx 0.075 kg
 Finish : Natural, Anodized, Powder Coating
 Wood Coating



Wall Conceal



Jointer*



Fix Bend*



End Cap*

38X38 RADIUS PLAIN

LRHP-08



ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6
 Length : 13 Feet / 16 Feet
 Weight : Approx 0.160 + 10% Variation
 Finish : Natural, Anodized, Powder Coating
 Wood Coating



Plain Wall Conceal



Plain Jointer*



Adjustable Bend*



Plain End Cap*

HANDRAIL & ACCESSORIES




45X45 RADIUS

LRH-28

ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6
Length : 13 Feet / 16 Feet
Weight : Approx 0.280 + 10% Variation
EPDM : Approx 0.080 kg
Finish : Natural, Anodized, Powder Coating
Wood Coating



Wall Conceal



Jointer*



Fix Bend*



End Cap*

45X45 RADIUS PLAIN

LRHP-09



ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6
Length : 13 Feet / 16 Feet
Weight : Approx 0.200 + 10% Variation
Finish : Natural, Anodized, Powder Coating
Wood Coating



Plain Wall Conceal



Plain Jointer*



Adjustable Bend*




Plain End Cap*

50X50 BOTTOM LED

LRH-29

ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6
 Length : 13 Feet / 16 Feet
 Weight : Approx 0.320 + 10% Variation
 EPDM : Approx 0.075 kg
 Finish : Natural, Anodized, Powder Coating
 Wood Coating




50X50 SIDE LED

LRH-30



ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6
 Length : 13 Feet / 16 Feet
 Weight : Approx 0.340 + 10% Variation
 EPDM : Approx 0.095 kg
 Finish : Natural, Anodized, Powder Coating
 Wood Coating



HANDRAIL & ACCESSORIES



RIGHTANGLE LED

LRH-31

ESSENTIAL DETAILS


Material : Aluminium Alloy 6063-T6

Length : 13 Feet / 16 Feet

Weight : Approx 0.360 + 10% Variation

EPDM : Approx 0.095 kg

Finish : Natural, Anodized, Powder Coating
Wood Coating



Wall Conceal



Jointer*



Fix Bend*



End Cap*




INCLINE SIDE LED

LRH-32

ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6
 Length : 13 Feet / 16 Feet
 Weight : Approx 0.360 + 10% Variation
 EPDM : Approx 0.075 kg
 Finish : Natural, Anodized, Powder Coating
 Wood Coating



Wall Conceal



Jointer*



Fix Bend*



End Cap*

40X40 LED

LRH-33

ESSENTIAL DETAILS

Material : Aluminium Alloy 6063-T6
 Length : 13 Feet / 16 Feet
 Weight : Approx 0.250 + 10% Variation
 EPDM : Approx 0.080 kg
 Finish : Natural, Anodized, Powder Coating
 Wood Coating



Wall Conceal




Jointer*



Fix Bend*



End Cap*



GLASS TO GLASS JOINTER

LRHA-09



GLASS TO GLASS 180°

LRHA-10



GLASS TO GLASS 90°

PIPE TO PIPE CONNECTOR



Straight Patti



L - Patti



Adjustable Straight - Patti



Adjustable L - Patti

LRHA-01 C-TYPE (CURVE)



LRHA-02 C-TYPE



LRHA-03 HOCKEY TYPE (SQUARE)



LRHA-04 HOCKEY TYPE



WALL BRACKETS

LRHA-05 C-TYPE (CURVE)



LRHA-06 C-TYPE



LRHA-07 HOCKEY TYPE (SQUARE)



LRHA-08 HOCKEY TYPE





— SPIRIT LEVEL



— HAND DRILL



— MEASURE TAPE



— ALLEN KEY SET



— RIVET GUN



— MALLET

INSTRUMENTS



○----- ADHESIVE FOR JOINT



○----- ADHESIVE FOR ANCHOR

01 10x100 RCC PVC Wall Plug Screw Anchor

02 12.5 X 100 Steel Adhesive Anchor

03 12.5 X 75 Steel Adhesive Anchor

04 10x75 Steel Adhesive Anchor

01



02



03



04




PACKAGING



6 in X 6 in Bamboo

AVAILABLE LENGTH


- 13 Feet
- 16 Feet



5 in X 5 in Bamboo

AVAILABLE LENGTH


- 13 Feet
- 16 Feet



4 in X 4 in Bamboo

AVAILABLE LENGTH

- 13 Feet
- 16 Feet









Marketed & Distributed by



for more info Scan